




LED HEADLAMPS AND PILOT LIGHT

The hallmark headlamp of the Classic 350 returns with improved illumination and increased efficiency, offering enhanced visibility while staying unapologetically stylish.



LED TURN INDICATORS

Old-school halogen indicators make way for higher visibility LED indicators, keeping you safe whether you're leaning left or riding right.



ADJUSTABLE CLUTCH AND BRAKE LEVERS

An adjustable span and improved ergonomics on the new Classic 350's clutch and brake levers allow riders of every size and skill to manoeuvre their motorcycle with confidence.



USB CHARGING PORT

All the iconic styling cues of a 1950s motorcycle without the 1950s drawbacks. Stay connected to the 21st century with a USB charging port for all your devices.



GEAR INDICATOR

The new Classic 350's updated instrument cluster includes a gear position indicator that improves gear management, prevents engine strain and ensures the smoothest of gear shifts.



NEW COLOURS. TRUE COLOURS.



EMERALD



STEALTH BLACK



GUN GREY



COMMANDO SAND



MEDALLION BRONZE



JODHPUR BLUE



MADRAS RED

SPECIFICATIONS

TYPE	SINGLE CYLINDER, 4 STROKE, AIR-OIL COOLED
DISPLACEMENT	349CC
BORE X STROKE	72 MM X 85.8 MM
COMPRESSION RATIO	9.5:1
MAXIMUM POWER	20.2 BHP @ 6100 RPM (14.87 KW)
MAXIMUM TORQUE	27 NM @ 4000 RPM
IGNITION SYSTEM	ELECTRONIC FUEL INJECTION(EFI) (CONTI)
CLUTCH	WET, MULTI-PLATES
GEARBOX	5 SPEED CONSTANT MESH
LUBRICATION	WET SUMP, FORCED LUBRICATION
ENGINE OIL	SAE 15 W 50 API, SL GRADE, JASO MA 2 SEMI SYNTHETIC
AIR CLEANER	PAPER ELEMENT
ENGINE START	ELECTRIC
CHASSIS & SUSPEN	SION
TYPE	TWIN DOWNTUBE SPINE FRAME
FRONT SUSPENSION	TELESCOPIC, 41MM FORKS, 130MM TRAVEL
REAR SUSPENSION	TWIN TUBE EMULSION SHOCK ABSORBERS WITH 6-STEP ADJUSTABLE PRELOAD (90MM TRAVEL)
DIMENSIONS	
WHEELBASE	1390 MM
GROUND CLEARANCE	170 MM
LENGTH	2145 MM
WIDTH	785 MM (WITHOUT MIRRORS)
HEIGHT	1090 MM (WITHOUT MIRRORS)
SEAT HEIGHT *	805 MM(J1A)
KERB WEIGHT	195 KG (WITH 90% FUEL & OIL)
FUEL CAPACITY	13 LTR
BRAKES & TYRES	
TYRES FR.	SPOKES WHEEL - 100/90 - 19 - 57P (TUBE TYPE) ALLOY WHEEL - 100/90 - 19 - 57P (TUBELESS TYPE)
TYRES RR.	SPOKES WHEEL - 120/80 - 18 - 62P (TUBE TYPE) ALLOY WHEEL - 120/80 - 18 - 62P (TUBELESS TYPE)
BRAKES FRONT	300 MM DISC WITH TWIN PISTON FLOATING CALIPER
BRAKES REAR	270 MM DISC, SINGLE PISTON FLOATING CALIPER
ABS	DUAL CHANNEL
ELECTRICALS	
ELECTRICAL SYSTEM	12 VOLT - DC
BATTERY	12 VOLT, 8 AH, VRLA (MAINTENANCE FREE)

12V, P21/5W

12V, 1.4W X 2 NOS (LED)

13.5V, 1.6W X 2 NOS (LED)

TAIL LAMP

PILOT LAMP

TURN SIGNAL LAMP



GENUINE MOTORCYCLE ACCESSORIES

ENGINE GUARD



BLACK AIRFLY ENGINE GUARD



SILVER AIRFLY ENGINE GUARD

SUMPGUARD



SILVER SUMPGUARD

BODYWORK



BLACK AEROVISOR

SEAT



BLACK LOW RIDE RIDER SEAT



BLACK TOURING PASSENGER SEAT



BLACK PLEATED SEAT COVERS



BLACK PASSENGER BACKREST PAD

CONTROLS



SILVER DELUXE FOOTPEGS



BLACK TOURING MIRRORS

LUGGAGE



BLACK COMMUTER PANNIER

MACHINE LOVE

SERVICE COST CALCULATOR

Plan ahead. Get the estimated service cost for your motorcycle before you book the appointment.

ROADSIDE ASSISTANCE

Get peace of mind wherever you're headed with on-site support for your motorcycle.



SPARES, ESSENTIALS, OILS & LUBES

Choose from our widely available range of Royal Enfield Spare Parts, Essentials, Oils, and Lubes, and keep your motorcycle riding at its best.

EXTENDEDWARRANTY

Avail up to two additional years of complete coverage on all repairs, replacements and maintenance.



SERVICE BOOKING ON ROYAL ENFIELD APP

Book your motorcycle service appointment anytime, anywhere via the Royal Enfield app.



LABOUR ANNUAL MAINTENANCE CONTRACT

In addition to having all your labour costs covered as part of your scheduled service, get 10% off on all additional labour costs and 5% off on all spare parts.

