

FOR 118 YEARS NOW AND COUNTING, ROYAL ENFIELD CONTINUES TO DELIVER A PURE MOTORCYCLING EXPERIENCE. STARTING OUT AT REDDITCH IN THE UNITED KINGDOM TO ITS PRESENT-DAY HOME IN CHENNAI, THE WORLD'S OLDEST MOTORCYCLING COMPANY IN CONTINUOUS PRODUCTION TREATS RIDER, ROAD AND MOTORCYCLE AS ONE WITH EVERY MACHINE IT BUILDS.

## **Our Legacy**



#### 1901

The first Royal Enfield motorcycle is produced. Designed by R. W. Smith and Frenchman Jules Gotiet, it has a 11/2 hp Minerva engine mounted in front of the steering head. The final drive is at the rear wheel by means of a long rawhide belt.




#### 1926

A major fire breaks out at the Redditch factory. The company's own fire brigade manages to fight flames that threaten to engulf the entire 18-acre plant.



#### 1932

The legendary "Bullet" motorcycle is born. It is first displayed in November 1932 at the important Earls Court Motorcycle Show in London. Three versions: 250, 350 and 500cc are available with inclined 'sloper' engines, twin-ported cylinder heads, foot operated gear change and high compression pistons.



#### 1943

Royal Enfield produces large quantities of motorcycles and bicycles during the Second World War. The most iconic military model is the 125cc airborne motorcycle known as the 'Flying Flea'. This 125cc 2-stroke can be loaded into a specially fabricated parachute cradle and dropped with paratroopers behind enemy lines.



#### 1948

The 35Occ Bullet prototype, with radical swinging arm rear suspension, is previewed in the Colmore Cup Trial of March 1948. Two Bullets form part of the victorious British team in the 1948 ISDT (International Six Day Trial), held in Italy. Both their riders win gold medals.



#### 1952

Madras Motors receives an order from the Indian Army for 800 350cc Bullets. The motorcycles arrive from Redditch in early 1953 and prove to be a great success, being both hardy and easy to maintain. Johnny Brittain wins the prestigious Scottish Six Days Trial on his 350cc Bullet, "HNP 331".



#### 1955

The Redditch company partners with Madras Motors in India to form 'Enfield India'. Work commences on the construction of a purpose-built factory at Tiruvottiyur, near Madras.



#### 1964

The iconic Continental GT café racer is launched to great acclaim. When a team of photo-journalists ride it from John 'o Groats to Lands End in under 24 hours. The GT features a racing petrol tank, clip-on handlebars, rear sets, a humped race seat, a rev counter and a swept-back exhaust.



#### 1967

With only two models left in production at the start of the year - the 250cc Continental GT and the 736cc Interceptor - Royal Enfield's Redditch facility closes down. Production of the Interceptor continues at Enfield's underground facility in Bradford on Avon.



#### 1994

Eicher acquires Enfield India Limited. The company is renamed Royal Enfield Motors Limited.



#### 2008

The 500cc UCE engine is launched in India. The retro-styled Classic version achieves cult status immediately and sales grow rapidly.



#### 2018

Years of extensive research, development and testing result in Royal Enfield's most eagerly anticipated new motorcycles: the 650 twins. The Continental GT and Interceptor models premiere at EICMA in Italy in November, 2017.



#### 2013

The first Royal Enfield motorcycle rolls out of the new Oragadam plant near Chennai. In the same year, Royal Enfield rolls out the all new Continental GT, a motorcycle built on a new cradle frame chassis that is, through and through, a café racer.



#### 2016

Royal Enfield debuts its first purpose-built motorcycle, the Himalayan. With the all-new LS410 engine, a half-duplex split-cradle frame and steadfast suspension, it promises the ride of a lifetime on all roads and no roads.



#### 2017

A purpose-built technical centre opens at the Bruntingthorpe Proving Grounds in the UK. Team of over 100 experts begin work on research & development and long-term product strategy.



#### 2017

Production commences at Royal Enfield's third manufacturing facility - a new state-of-the-art factory at Vallam Vadagal, Chennai.





An imposing engine. That distinctive exhaust note. The Bullet is in a league of its own. Its uniqueness stems from our traditionalist approach with it - a hand-painted fuel tank and period perfect styling. This machine, delivering a pure motorcycling experience since the day it was born in 1932, continues to cement its iconic stature with new riders every day.



## ON THE ROYAL ENFIELD BULLET

Some of the components and accessories featured in the photographs may not be part of the standard fitments.

### **ICONIC DESIGN**

A laid-bare engine, handcrafted chrome detailing and our signature hand-painted gold line make for one exceptional looking machine.

#### MAJESTIC RIDING STANCE

The Bullet has you sitting back well in command of the road. Its distinctive thump adds to its imposing presence.



## **COLOURS**







FOREST GREEN

BLACK

MARSH GREY

## **TECHNICAL SPECIFICATIONS**

**ENGINE** 

Type Single Cylinder, 4 stroke

Displacement 499cc

Bore x Stroke 84mm x 90mm

Compression Ratio 8.5:1

Maximum Power27.2 bhp @ 5250 rpmMaximum Torque41.3 Nm @ 4000 rpmIgnition SystemDigital Electronic Ignition

Clutch Wet, multi-plate

Gearbox 5 Speed Constant Mesh

Lubrication Wet sump

Engine Oil 15 W 50 API, SL Grade JASO MA Fuel Supply Keihin Electronic Fuel Injection

Air Cleaner Paper Element Engine Start Electric/Kick

**CHASSIS & SUSPENSION** 

Type Single downtube, using engine as stressed member

Front Suspension Telescopic, 35mm forks, 130mm travel

Rear Suspension Twin gas charged shock absorbers with 5-step adjustable preload,

80mm travel

**DIMENSIONS** 

Wheelbase 1360 mm
Ground Clearance 140 mm
Length 2140 mm
Width 800 mm

Height 1080mm (Without Mirrors) Kerb Weight 195 Kgs (with 90% Fuel & Oil)

Fuel Capacity 13.5 Ltr (3.56 Gallon)

**BRAKES & TYRES** 

Tyres Fr. 90/90-19 M/C 52V Tyres Rr. 110/80V 18 M/C 58V

Brakes Front 280mm Disc, 2-Piston caliper

Brakes Rear 240mm Disc with single piston caliper

ABS Dual Channel

**ELECTRICALS** 

Tail Lamp 21 W / 5 W


Turn Signal Lamp

Electrical System 12 volt - DC Battery 12 volt, 14 Ah

Head Lamp 60 W / 55 W, HALOGEN



AIR FLY
ENGINE GUARD



TRAPEZIUM ENGINE GUARD



TOURING MIRROR KIT



HEADLIGHT GRILL



**SUMPGUARD** 



**NUMBER BOARD, LH** 



MILITARY PANNIER PAIR



MILITARY PANNIER PAIR

















In 1948 the Royal Enfield Bullet revolutionised the motorcycling industry with the introduction of a swinging rear-arm suspension coupled with oil-damped shock absorbers. A design that became the norm of every motorcycle since.

The Bullet showed its true mettle in Trials competitions, racking up win after win, including in the prestigious International Six Days' Trials, widely referred to as the 'Olympics of motorcycling'. The Bullet Trials Works Replica takes this legacy forward, combining ruggedness and contemporary engineering to make it a motorcycle with proven capabilities across terrains - off and on-road.



# ON THE BULLET TRIALS WORKS REPLICA

Some of the components and accessories featured in the photographs may not be part of the standard fitments.

### Carry everything you need

With a specially designed rear luggage rack, the Bullet Trials Works Replica comes ready for strapping on the essentials needed on roads less travelled

## Traction where you need it

Block-tread pattern on/off road tyres work in tandem with the dual-channel ABS to provide all the grip and stopping power you need across terrains

### **Enhanced comfort & control**

Raised handlebar reinforced with a steel crossbar provides for a commanding and comfortable riding position across riding situations whether standing or sitting



## COLOURS





## **TECHNICAL SPECIFICATIONS**

**ENGINE** 

Type Single Cylinder, 4 stroke, Spark ignition, Aircooled,

Fuel injection

Displacement 499cc

Bore x Stroke 84mm x 90mm

Compression Ratio 8.5:1 CO2 emissions (g/km) 70

Maximum Power27.2 bhp @ 5250 rpmMaximum Torque41.3 Nm @ 4000 rpmIgnition SystemDigital electronic ignitionTransmission5 Speed Constant Mesh

**CHASSIS & SUSPENSION** 

Type Single Down Tube, using engine as stressed member

Front Suspension Telescopic, 35 mm forks, 130 mm travel

Rear Suspension Twin gas charged shock- absorbers with 5-step

adjustable preload, 80 mm travel.

**DIMENSIONS** 

Wheelbase 1380 mm
Ground Clearance 135 mm
Length 2080 mm
Width 805 mm
Height 1123 mm

Kerb Weight 192 Kgs (with 90% fuel & oil)

Fuel Capacity 13.5 ltr Seat Height 800 mm

**BRAKES & TYRES** 

Tyres Front 90 / 90 - 19" - 52 P Tyres Rear 110 / 80 - 18" - 62 P

Brakes Rront 280 mm disc with twin piston caliper

Brakes Rear 240 mm disc with single piston & floating caliper

ABS Dual Channel

**ELECTRICALS** 

Electrical System 12V - DC (III Phase)
Battery 12V, 12AH MF

Head Lamp 12V, H4-60/55W (Halogen)

Brake/Tail Lamp 12V, P21/5W

Turn signal Lamp 12V, R10W X 4 Nos.



HEADLIGHT GRILL



**SUMPGUARD** 



COMPACTENGINE GUARD



NUMBER BOARD, LH



HANDLEBAR BRACE PAD

















In the Classic, heritage and time-tested performance go hand in hand. Its dashing, vintage-inspired looks are underscored by an Enfield trademark - dependability. The Classic is a machine you can count on, come hill, dale or plain.



## ON THE ROYAL ENFIELD CLASSIC

Some of the components and accessories featured in the photographs may not be part of the standard fitments.

### **STYLING**

Authentic post-war detailing: die-cast headlight casing, choice of old-world colours.

### **COMFORT**

A single saddle seat with springs, and an optional pillion seat - comfort thought through.

### RIDEABILITY

High torque at low RPM means maximum pulling power from low revolutions, making a ride uphill or your daily commute effortless.



## **COLOURS**











CHROME - BLACK

**CHROME - GREEN** 

BATTLE GREEN

**GUNMETAL GREY** 





**TECHNICAL SPECIFICATIONS** 

**ENGINE** 

Type Single Cylinder, 4 stroke, Twinspark

Displacement 499cc

Bore x Stroke 84mm x 90mm

Compression Ratio 8.5:1

**Maximum Power** 27.2 bhp @ 5250 rpm 41.3 Nm @ 4000 rpm Maximum Torque **Ignition System** Digital Electronic Ignition

Clutch Wet, multi-plate

Gearbox 5 Speed Constant Mesh

Lubrication Wet sump

15 W 50 API, SL Grade JASO MA Engine Oil Keihin Electronic Fuel Injection **Fuel Supply** 

Air Cleaner Paper Element Electric/Kick **Engine Start** 

**CHASSIS & SUSPENSION** 

Single downtube, using engine as stressed member Type

Telescopic, 35mm forks, 130mm travel Front Suspension

Twin gas charged shock absorbers with 5-step adjustable preload, **Rear Suspension** 

80mm travel

**DIMENSIONS** 

Wheelbase 1360 mm **Ground Clearance** 140 mm Length 2140 mm Width 800mm

Height 1080 mm (Without Mirrors) Kerb Weight 195 Kgs (with 90% Fuel & Oil)

**Fuel Capacity** 13.5 Ltr (3.56 Gallon)

**BRAKES & TYRES** 

Tyres Fr. 90/90 - 19" - 52V 110/80 - 18" - 58V Tyres Rr.

**Brakes Front** 280mm Disc, 2-Piston caliper

240mm Disc with single piston caliper **Brakes Rear** 

**ABS Dual Channel** 

**ELECTRICALS** 

21 W / 5 W Tail Lamp

Turn Signal Lamp

**Electrical System** 12 volt - DC **Battery** 12 volt. 14 Ah

Head Lamp 60 W / 55 W, HALOGEN



TRAPEZIUM ENGINE GUARD



TOURING SEAT, RIDER



TOURING MIRROR KIT



HEADLIGHT GRILL



**SUMPGUARD** 



**NUMBER BOARD, LH** 



MILITARY PANNIER PAIR



MILITARY PANNIER PAIR

















THE HIMALAYAN COMBINES ROYAL ENFIELD'S HISTORIC RIDING EXPERIENCE IN THE HIMALAYAS WITH AN ALL-NEW ENGINE AND TERAIN-TESTED SUSPENSION. THE RESULT? A MACHINE WHICH LETS YOU COMPLETE A 30-MINUTE RIDE AND A 3-WEEK TOUR WITH EQUAL EASE.

# HIMALAYAN

# ON THE ROYAL ENFIELD HIMALAYAN

Some of the components and accessories featured in the photographs may not be part of the standard fitments.

### **HANDLING**

The half-duplex, split-cradle frame and long travel suspension keep you grounded, in control and in harmony with roads, rocks and everything in between.

### **ERGONOMICS**

Its 800 mm seat height, perfectly-positioned foot pegs and handlebars reduce faatigue and give you a comfortable, upright riding position whether you sit or stand.

### TOURING

Panniers at the back. Jerry cans in the front. The Himalayan's mounting points let you strap up and set off anytime. The LCD dashboard lets you track everything from miles to maintenance.



### **OFFROAD**

Upswept silencer and 220 mm of ground clearance to keep you clear of all obstacles.

### **TYRES**

Hefty 17" and 21" wheels with dual purpose, tread-pattern tyres for a steady grip in cities and off roads.

### COLOURS













### **TECHNICAL SPECIFICATIONS**

**ENGINE** 

Type Single Cylinder, 4 stroke, Air cooled, SOHC, Fuel Injection

Displacement 411cc

Bore x Stroke 78 mm x 86 mm

Compression Ratio 9.5:1

**Maximum Power** 24.5 bhp @ 6500 rpm 32 Nm @ 4250 rpm Maximum Torque Digital electronic ignition **Ignition System** 

Clutch Wet, multi-plate

5 Speed Constant Mesh Gearbox

Lubrication Wet sump

Semi-Synthetic 15W 50 API, SL Grade & Above JASO MA 2 **Engine Oil** 

**Fuel Supply** Electronic fuel injection

Paper Element Air Cleaner

Electric **Engine Start** 

**CHASSIS & SUSPENSION** 

Type Half-duplex split cradle frame

Telescopic, 41 mm forks, 200 mm travel Front Suspension **Rear Suspension** Monoshock with linkage, 180 mm wheel travel

**DIMENSIONS** 

Wheelbase 1465 mm **Ground Clearance** 220 mm 2190 mm Length Width 840 mm

Height 1360 mm (Fly Screen Top)

Seat Height 800 mm Kerb Weight 191 kg **Fuel Capacity** 15+/- 0.5 lts

**BRAKES & TYRES** 

90/90 - 21" Front Tyre 120/90 - 17" Rear Tyre

300 mm disc, 2-piston floating caliper Front Brakes **Rear Brakes** 240 mm disc, single piston floating caliper

**ELECTRICALS** 

**Electrical System** 12 volt - DC **Battery** 12 volt, 8 AH MF Head Lamp 12V H4 60 / 55 W

Tail Lamp LED

Turn Signal Lamp 12V, 10W X 4nos



**LARGE ENGINE GUARD** 



BRACED HANDLEBAR KIT







ALUMINIUM PANNIER, PAIR, 26L



ALUMINIUM PANNIER, PAIR, 26L







MACHINED BAR END FINISHER KIT









SEAMLESS INTEGRATION
Engineered to fit perfectly and easily to your Royal Enfield



GENUINE ACCESSORIES
Royal Enfield branding as a
mark of assured quality







INSPIRED BY THE ICONIC 60'S INTERCEPTOR WITH ITS GREATEST FOLLOWING IN THE AMERICAN WEST COAST, FITTING PERFECTLY INTO THE EASY-GOING, FUN NARRATIVE OF THE TIME, THE NEW INTERCEPTOR 650 TWIN REIMAGINES THE SUN-DRENCHED CALIFORNIA BEACH LIFESTYLE. THIS MODERN CLASSIC IS THE ESSENCE OF A BRITISH ROADSTER WITH A DASH OF A CALIFORNIA DESERT RACER BLENDING TIMELESS STYLE AND CONTEMPORARY PERFORMANCE.



# **ON THE INTERCEPTOR 650**

Some of the components and accessories featured in the photographs may not be part of the standard fitments.



## **COLOURS**













## **TECHNICAL SPECIFICATIONS**

### **ENGINE**

4 stroke, single overhead cam, air-oil cooled, 648 cc parallel twin, 47 bhp @ 7100 rpm, 52 Nm @ 4000 rpm, 6 speed, fuel injection, digital spark ignition - TCI, CO2 emissions - 98.6 g/km

### **CHASSIS**

Steel tubular, double cradle frame Front Suspension - 41 mm front fork, 110 mm travel Rear Suspension - Twin coil-over shocks, 88 mm travel

### **BRAKES & TYRES**

Front Tyre - 100/90-18 Rear Tyre - 130/70-18

Front Brake - 320 mm disc, ABS Rear Brake - 240 mm disc, ABS

### **CAPACIDAD DE COMBUSTIBLE**

2122 mm x 1165 mm x 789 mm Fuel Capacity: 13.7 Ltr Kerb Weight (no fuel) - 202 kg Ground Clearance - 174 mm





LARGE ENGINE GUARD



FORK GAITER KIT



TALL FLYSCREEN KIT



HEEL GUARD, RH



HANDLEBAR BRACE PAD



**TOURING DUAL SEAT** 



TOURING MIRROR KIT



G MACHINED BAR KIT END FINISHER KIT

















INSPIRED BY THE ORIGINAL CONTINENTAL GT 250, OUR NEW CONTINENTAL GT 650 TWIN IS AN EVOLUTION IN THE LINE. A DESIGN ICON IN ITSELF, IT IS AN ODE TO THE CAFE RACERS AND CULTURE OF THE '50s and '60s.



# **ON THE CONTINENTAL GT 650**

Some of the components and accessories featured in the photographs may not be part of the standard fitments.



## COLOURS











## **TECHNICAL SPECIFICATIONS**

### **ENGINE**

Single Cylinder, 4 stroke, Air cooled, 535 cc, 29.1 bhp @ 5100 rpm, 44 Nm @ 4000 rpm, CO2 emissions - 98.6 g/km

### **CHASSIS**

Steel tubular, double cradle frame, 2122mm x 1024mm x 744mm Fuel Capacity: 12.5 Ltr Kerb Weight: 198kg (no fuel) Ground Clearance: 174mm

### **BRAKES & TYRES**

Front Tyre: 100/90-18, 56 H Pirelli Sport Demon, Rear Tyre: 130/70-18, 63 H Pirelli Sport Demon, Front Brake: Brembo 300mm Floating Disc, Rear Brake: Brembo 2-Piston Floating Caliper, 240mm Disc, Single Piston Floating Caliper

### **DIMENSIONS**

2060mm x 760mm (Without Mirrors) x 1070mm (Without Mirrors), Fuel Capacity: 13.5 Ltrs Kerb Weight: 184 Kgs Ground Clearance: 140 mm

### **ELECTRICAL**

12 Volt, 14 Ah, 60/55 Wt



COMPACT **ENGINE GUARD** 



**ALUMINIUM SUMPGUARD** 



**SHORT FLYSCREEN KIT** 



SINGLE SEAT, **RIDER** 



**MACHINED SWINGARM BOBBIN KIT** 



**BAR END MIRROR KIT** 



**SEAT COWL** 



**SEAT COWL** 



**SEAT COWL** 















## **Jackets**



APEX P JKAW19005



KHARDUNGLA JKSS18R01



SPIRIT
JKSS18003

## **Helmets**



BORDER STRIPE HELMET- OF HESS17015



SUN PEAK -OF
HES16005



BOBBER HELMET
HEAW17001



STREET PRIME BOLT
HEAW19001

# **T-shirts**



RIDER OF THE STORM-POLO TSAW19022



READY CAMO -CREWNECK TSAW19004



THE CLASSIC TSHIRT TSSS20007



THE TIMELESS
TSHIRT
TSSS20008

## **Shoes**



MID RISE TOURING BOOTS BOS16002



HUNTSMAN LEATHER SHOSS1907



JUNGLE CITY SNEAKERS SHOAW1904

# **Gloves**



URBAN RETRO GLAW19002



SPITI GLAW19001



TRAILBLAZER
GLAW18001

# **Bags**



CLASSIC MESSENGER BAG OLIVE BGAW19002




ARMADILLO BACKPACK RAIN COVER BPCSS1901



FUSILLADE
RAINPROOF DUFFEL
BAG CAMO GREY
BGSS18006



KEYLONG BACKPACK OLIVE BGA16001



# Merchandise



RE EMBOSSED MGSS19008



HELMET PIN
PIAW18004



MLG PIN PIS150001



REMX GOOGLES
EWA18001



3D SCALE MODEL BATTLE GREEN SMAW19009



3D SCALE MODEL REDDITCH RED SMAW19005



3D SCALE MODEL GUN GREY SMAW19006



3D SCALE MODEL ASH SMAW19007



3D SCALE MODEL BLACK SMAW19008



3D SCALE MODEL DESSERT STORM
SMAW19010



METAL HOOK KEY CHAIN KCS16001



BRAIDED KEY CHAIN KCSS17002